

Panel feed-through - SACC-DSI-FS-5CON-PG 9/1,5 SCO - 1577053

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (http://phoenixcontact.com/download)



Sensor/actuator flush-type socket, 5-pos., M12 SPEEDCON, A-coded, rear/screw mounting with Pg9 thread, with 1.5 m TPE litz wire, 5 x 0.34 $\rm mm^2$



Key Commercial Data

Packing unit	1 pc
Minimum order quantity	50 pc
GTIN	4 046356 449427
GTIN	4046356449427

Technical data

Environmental Product Compliance

REACh SVHC	Lead 7439-92-1
China RoHS	Environmentally Friendly Use Period = 50
	For details about hazardous substances go to tab "Downloads", Category "Manufacturer's declaration"


Drawings

Dimensional drawing



Housing cutout for Pg9 fastening thread, mounting panel with thread

Dimensional drawing




Housing cutout for Pg9 fastening thread, mounting panel with feedthrough hole (alternatively with surface as protection against rotation)




Panel feed-through - SACC-DSI-FS-5CON-PG 9/1,5 SCO - 1577053

Schematic diagram




Pin assignment M12 socket, 5-pos., A-coded, socket side view



≤4,5

M12 flush-type connector





Contact assignment of the M12 socket

Approvals

Approvals

Approvals

EAC

Г

Ex Approvals

Approval details

EAC	ERC	B.00767
-----	-----	---------



Phoenix Contact 2018 © - all rights reserved http://www.phoenixcontact.com

PHOENIX CONTACT GmbH & Co. KG Flachsmarktstr. 8 32825 Blomberg Germany Tel. +49 5235 300 Fax +49 5235 3 41200 http://www.phoenixcontact.com